

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN9:40	TIME OUT //40
PAGE / of	2

NEXT I	ROUTIN ANY TIM ABLISH O d RESS:	E INSPE IE LIMIT	1/SI High School	RIOD OF TIME AS	MAY B	E SPEC	CIFIED	IN WI	RITING BY	THE REGULA	ATORY AUTHORITY. FAILURE	то сом	BY THE
CITY		00 h	J. Burkhart K	PHONE:		011	FAX	(:			P.H. PRIORITY : 🖾 H		7.
ESTAE	BLISHMEN				DELI				276 -		NSTITUTION	IVI [_	J L
PURPO			☐ SCHOOL ☐ SENIOR		EMP. FC	ner		TAVE	RN	□ М	OBILE VENDORS		
	Pre-oper	ning ESSER	Routine Follow-up	☐ Complaint	01	ther	MAT	EDQ	UPPLY				
□App	proved [roved Not Applicable	PUBLIC PRIVATE	OUAL				MUNITY		I-COMMUNITY PRI Sampled Re	VATE sults	
				RISK FA									
Risk f	actors a	are food ess outbr	preparation practices and employer eaks. Public health intervention	ee behaviors most on sale sale sale sale sale sale sale sale	commonly ures to pr	y repor	ted to t	he Ce	nters for Dis	ease Control	and Prevention as contributing	actors in	
Complia IN O	ance		Demonstration of K	nowledge	CO		₹ Co	mplian		P	otentially Hazardous Foods		COS F
THE CO			and performs duties		9,		16				king, time and temperature		2
IN OI	UT		Employee He Management awareness; policy						N/O N/A		eating procedures for hot holding ing time and temperatures	3	
(IN O	UT		Proper use of reporting, restrict						N/O N/A	Proper hot	holding temperatures		
IN OI	UT N/O		Good Hygienic P					OUT	N/A N/O N/A		holding temperatures marking and disposition		
IN OU	JT N/O		No discharge from eyes, nose a	nd mouth			IN	OUT	N/O N/A	Time as a p	bublic health control (procedures	1	
(IN) OI	JT N/O		Preventing Contaminat Hands clean and properly wash				IN	OUT	N/A	ALC: STATE OF	Consumer Advisory advisory provided for raw or		
12	JT N/O						-			undercooke	d food		
200			No bare hand contact with read approved alternate method prop	erly followed					0	Hiç	ghly Susceptible Populations		
(IN) OI	JT		Adequate handwashing facilities accessible				IN	OUT	N/O N/A	Pasteurized offered	foods used, prohibited foods no	t	
(IN) OL	JT		Approved Sou Food obtained from approved so				(IN)	OUT	N/A	Food additiv	Chemical ves: approved and properly used		
	JT N/O	N/A	Food received at proper temper				The second second	OUT	14// (Toxic substa	ances properly identified, stored	and	
IN OL	and the same of th		Food in good condition, safe and							Conforn	nance with Approved Procedure		
IN OL	JT N/O	N/A	Required records available: she destruction		е		IN	OUT	N/A	Compliance and HACCF	with approved Specialized Proc plan	ess	
IN) OL	IT	N/A	Protection from Cont Food separated and protected	amination			The	letter	to the left of	each item inc	dicates that item's status at the t	ime of the	
(IN) OL		N/A	Food-contact surfaces cleaned a	sanitized			insp	ection IN = ir	n compliance	e	OUT = not in compliance		
No.	N/O		Proper disposition of returned, p				N/A = not applicable N/O = not observed						
~	2		reconditioned, and unsafe food						orrected On	Site	R = Repeat Item		
			Good Retail Practices are preven		control th				hogens che	emicals and r	physical objects into foods		
IN	OUT		Safe Food and Water		COS	R	IN	OUT			er Use of Utensils	cos	R
X			urized eggs used where required and ice from approved source				X			ensils: proper	ly stored nd linens: properly stored, dried,		
X			Food Temperature Cont	rol .			X		handled				
X			ate equipment for temperature co				X			sed properly	ice articles: properly stored, use	d	
X			ved thawing methods used ometers provided and accurate					*/	Food and	Utensils, E	quipment and Vending ntact surfaces cleanable, properl	V	
	X	Hem	Food Identification				1	X	designed	, constructed			
V		EI					X		strips use	ed			
	6).	F000 p	properly labeled; original container Prevention of Food Contami	nation					Nontood-	contact surfa Phy	ces clean ysical Facilities		
X			s, rodents, and animals not preser mination prevented during food pre	t			Y			cold water ava	ailable; adequate pressure		
	11	and dis					X				ter properly disposed		
-	X	fingern	ails and jewelry	y, nan restraint,			Y						
X			cloths: properly used and stored and vegetables washed before us					Y	Garbage/	refuse proper	y constructed, supplied, cleaned rly disposed; facilities maintained		
Person	Person in Charge /Title: Physical facilities installed, maintained, and clean												
Inspec		11	Kara H	Teler	phone N	10.	u C	5	EPHS No	. Follo	W-up: □ Yes	Ż	No
	1/2	MA	h Mille	573	3888	- 9	008		164	7 Follo	w-up Date: Sping 2		The state of the s



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN : 40	TIME OUT // 40

LISHINIE IA I	INSPECTION KE	PURI		- 1 1	
		600	11	Barkhartha	PAGE 2 of
		000	Win	15 CIFINITE CI	

ESTABLISHMEN	NT NAME	ADDRESS	lon Public Schools	CITY Malden	638	63
FO	OOD PRODUCT/LOCATION	TEMP.	FOOD PRODUCT/ L	OCATION	TEM	
Walk.	In Coolen	38	Front Milk	oolea	38	
walk	In Freezer	-7	Serving Line	(chili)	158	
HotHold	Standup #1	165				
Hot Hole	Standup # 2	175				
Front	Coolen		DRITY ITEMS		Correct by	Initial
Reference	Priority items contribute directly to the elim or injury. These items MUST RECEIVE II	nination, prevention or re	eduction to an acceptable level, hazards as thin 72 hours or as stated.	sociated with foodborne illness	(date)	
3-101.11	3 Dented Cans of				cos	94
	Note: discussed de	ntrd eans				
					-	
		4				
						100
Code Reference	Core items relate to general sanitation, operations operating procedures (SSOPs).	erational controls, facilities	RE ITEMS es or structures, equipment design, genera corrected by the next regular inspection		Correct by (date)	Initial
	standard operating procedures (SSOPs). NON Sealed Wooden	erational controls, facilities These items are to be of Pallets	es or structures, equipment design, genera corrected by the next regular inspection	or as stated.		Initial
Reference	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pulle	Pallets in	es or structures, equipment design, genera corrected by the next regular inspection walk in cocler 8	or as stated.		Initial LIA
(4-101.19	Standard operating procedures (SSOPS). NON Sealed Wooden - has wooden Pulls AAN POROUS, pasills	Pallets in	es or structures, equipment design, genera corrected by the next regular inspection walk in cocler &	or as stated. Fixezel to be smooth		St.
Reference	Standard operating procedures (SSOPS). NON Scaled Wooden - have booden Pally NON POROUS, easily Daylight GAP IN	Pallets in Cleanal	es or structures, equipment design, genera corrected by the next regular inspection walk in cocler 8	or as stated. Fixezel to be smooth		Initial LIA DA
(4-101.19	Standard operating procedures (SSOPS). NON Sealed Wooden - has wooden Pulls AAN POROUS, pasills	Pallets in Cleanal	es or structures, equipment design, genera corrected by the next regular inspection walk in cocler &	or as stated. Fixezel to be smooth		St.
(4-101.19	Standard operating procedures (SSOPS). NON Scaled Wooden - have booden Pally NON POROUS, easily Daylight GAP IN	Pallets in Society Cleanal	es or structures, equipment design, genera corrected by the next regular inspection walk in cocler &	reshold seal		St.
Y-101.19 6-202.18	standard operating procedures (SSOPS). DON Sealed Wooden - have wooden Pull. Aan porous, pasible Day light Cap in - in stall door sweet	Pallets in Society Cleanal	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & Het Surface nerell design dear , no the	reshold seal		St.
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	St.
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). DON Sealed Wooden - have wooden Pull. Aan porous, pasible Day light Cap in - in stall door sweet	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal		St.
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	St.
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	SH
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	SH
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	SH
Y-101.19 6-202.18	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	Pallets in Celling Cooling	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	St.
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	reational controls, facilities These items are to be a left in the second of the seco	es or structures, equipment design, genera corrected by the next regular inspection walk in cocles & let Surface nerds dele ding door, NP the	reshold seal	(date)	St.
Reference 4-101.19 6-202.05 \$=\$01.11	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally. NON POROUS, easily. Day light Eap in - in stall door sweet Tee build up (Floo - Regair Drain on	reational controls, facilities These items are to be a left in the second of the seco	es or structures, equipment design, general corrected by the next regular inspection Walk IN COCLEGE & Let Surface Nerds Let Surface Nerds Let Geolinis unit in Lien Ceolinis unit in Lien Lealinis Erree Freeze	reshold seal	(date)	St.
Reference 4-101.19 6-202.18 8=501.11	standard operating procedures (SSOPS). NON Scaled Wooden - have wooden Pully. NON POROUS, Das. VI. Day light Eap in - install door sweet The build up (Floo - Repair Drain on Food Stored on	erational controls, facilities these items are to be a left of the same of the	es or structures, equipment design, genera corrected by the next regular inspection Lualk in cocles & Let Surface needs ding door, No the tien Ceolinis unit in tien Ceolinis unit in ROVIDED OR COMMENTS	or as stated. Freezel to be smooth -shold secol walking Freezen zen.	dos.	St.
Reference 4-101.19 6-201.18 8-501.11	standard operating procedures (SSOPS). NON Sealed Wooden - have worden Pally. Non porous, easily. Day light Eap in - in stall door sweet The build up (Floo - Regain Drain on Frod Stored on	erational controls, facilities these items are to be a least of the same of th	es or structures, equipment design, genera corrected by the next regular inspection Lucik in cocler 8 Let Surface needs let surface needs let in door, NP the free Review Director Service Director	reshold seal	dos.	St.
Reference 9-707.19 6-207.65 8-305.16 Person in Ch.	standard operating procedures (SSOPS). NON Sealed Wooden - have wooden Pally Aan porous, easily. Day light Eap in - in stall door sweet The build up (Floo - Regair Drain on Food Stored on	erational controls, facilities these items are to be a left of the same of the	es or structures, equipment design, genera corrected by the next regular inspection Lucik in cocler 8 Let Surface needs let surface needs let in door, NP the free Review Director Service Director	or as stated. Freezel to be smooth -shold secol walking Freezen zen.	(date) 2018 Yes	St.