

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 845	TIME OUT 920
PAGE 1 of	2

NEXT ROUTINE INSPI WITH ANY TIME LIMIT	CTION THIS DAY, THE ITEMS NOT ECTION, OR SUCH SHORTER PER IS FOR CORRECTIONS SPECIFIED	NOD OF TIME AS MAY	BE SPEC	IFIED I	N WRIT	ING BY T	HE REG	BULATORY AUTHOR	ITY. FAILURE TO	CTED B COMPL	Y THE LY
Sonic Drive In Jake Stauffer, R.B. Grisham				Hanna M	Hanna Moore						
ADDRESS: 910 I	N Douglass							COUNTY: 06	39		
CITY/ZIP: Malde	n, MO 63863	PHONE: 573-276-3155		FAX:				P.H. PRIORI	TY: 🔳 H	М	L
ESTABLISHMENT TYPE BAKERY RESTAURANT	C. STORE CATERER		ER F.P.	□ T	ROCEI AVERN	RY STORI		INSTITUTION TEMP.FOOD	☐ MOBILE V	'ENDÓF	₹\$
PURPOSE Pre-opening	Routine Fallow-up	☐ Complaint ☐	Other								
FROZEN DESSER	sapproved PUBLIC	OSAL PRIVATE	(1) mark		JPPLY			COMMUNITY Sampled	☐ PRIVATE Results		
License No. <u>069-145</u>	91	RISK FACTO	RSAND	INTER	RVENT	TONS					
Risk factors are food	preparation practices and employee	behaviors most commo	only reporte	ed to th	e Cente	ers for Dise	ease Co	ontrol and Prevention a	s contributing fact	ors in	15-41144744155
foodborne illness outb	reaks. Public health interventions		cos R	odbori Car	ne Illnes npliance	s or Injury.		Potentially Hazard	ous Foods	CC	S R
OUT	Person in charge present, demor				OUT N	I/O N/A	Proper	r cooking, time and ter	nperature		
	Employee Hee	th		IN C		D N/A		r reheating procedure r cooling time and tem		+	
OUT	Management awareness; policy proper use of reporting, restriction	n and exclusion		IN (N_TUC	D N/A I/O N/A	Proper	r hot holding temperati	ures		
OUT N/O	Good Hygienic Pra	ctices			TUO A TUC	N/A I/O N/A	Proper	r cold holding temperar r date marking and dis	position		
OUT N/O	No discharge from eves nose an			1		D N/A	Time a	as a public health conti	rol (procedures /		
	Preventing Containmetic	in by Hands						Consumer Ad	VISOFY		
OUT N/O	Hands clean and properly washe			IN	OUT	n m		mer advisory provided coaked food			_
OUT N/O	No bare hand contact with ready- approved alternate method prope	to-eat foods or erly followed						Highly Susceptible	······································		
IN C	Adequate handwashing facilities accessible	supplied &			N TUC	I/O N/A	offerer	ırized foods used, prol t	hibited foods not		
	Approved Sour	THE PERSON NAMED IN COLUMN TO THE PE		!	OUT	NUA		chairi ca additives: approved an	d amendy used		
IN OUT NO N/A	Food obtained from approved sor Food received at proper tempera			-	OUT	N/A OUT		substances properly id		d	
IN OUT NO N/A	Food in good condition, safe and	unadulterated		-		001	used ::08	wiformsiws with Appro	ived Procedures		
IN OUT N/O	Required records available: shell			IN	OUT	1	Compl	iance with approved S	pecialized Process	3	
114 (201 14/0	destruction Protection from Colum	miratice		-			and HA	ACCP plan			
OUT N/A	Food separated and protected					the left of	each ite	em indicates that item'	s status at the time	of the	
OUT N/A	Food-contact surfaces cleaned &	sanitized				compliance		OUT = not in			
IN OUT	Proper disposition of returned, pr reconditioned, and unsafe food	eviously served,		l N	A = not	applicable	3	N/O = not obs	served		
			TRETAL								
Lu Lour Province	Good Retail Practices are prevental			luction IN	of patho	ogens, che	micals,	and physical objects i Proper Use of Utensi	nto foods. S	cos	R
IN OUT Past	eurized eggs used where required			×	001	In-use ut	ensils:	properly stored			
× Wate	er and ice from approved source			×		handled		ent and linens: proper			
	Food Temporature Contr			x		Single-us Gloves u		e-service articles; prop	erly stored, used		
	uate equipment for temperature cor oved thawing methods used	itrol		×			Uten	s#s. Enuprishtand Vi	eircixis.		
	mometers provided and accurate				×			od-contact surfaces de ructed, and used	eanable, properly		
	Face identification			×		Warewas	shing fa	cilities: installed, mainl	tained, used; test		
X Food	properly labeled: original container			×		Strips use Nonfood	-contact	surfaces clean			
	Prevention of Food Contains	valion			×	Listand	oold ma	Prysical Facilities ter available; adequate	nroccure		
Con	cts, rodents, and animals not present amination prevented during food pre	paration, storage	_	×	^			ed; proper backflow de			
and Pers	display onal cleanliness: clean outer clothing		-	-		Sewage	and wa:	stewater properly disp	osed	+	
A finge	rnails and jewelry			×				roperly constructed, s		+-	+
	ng cloths: properly used and stored s and vegetables washed before use			x		Garbage	/refuse	properly disposed; fac	ilities maintained		
	Title:	1			×	Physical		b installed, maintained			
Person in Charge	Title: Hanna Moore	anon Wy	sole	_				Date: 01/20/2		_	N.
Inspector:	MARL	Telephor 573-888	ne No. 3-9008		1	EPHS No 647		Follow-up: Follow-up Date: 2/	☑ Yes /18/21		No
IAO 560-16 (9-13)	and the same of th	DISTRIBUTION: WHITE - OV	VNER'S COPY			CANARY - FİL	E COPY				E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 845	TIME OUT 920
PAGE 2	_f 2

ESTABLISHMENT NAME Sonic Drive In FOOD PRODUCT/LOCATION		910 N Douglass	ityizip Malden, MO 63863	MO 63863			
		TEMP. in ° F	CATION	TEMP. in	۱°F		
	Topping Cooler	37	True Coolei	•	41		
	Chili / Hot Hold	150					
	Ice Cream Maker	33					
	Walk in Freezer	-5					
4	Walk in Cooler	41 PRIORITY IT			Correct by I	Initial	
Code Reference	Priority Items contribute directly to t	ne elimination, prevention or recucion TVE IMMEDIATE ACTION within 721	to an acceptable level. It azarda assi	ocated with foodborne illness	(date)		
5-203.11	Repeat: Front handsink h	ot water not working due to	3 vat leaking, repair or re	eplace	2/18/21		
Code Reference 6-501.11	Repeat: Front mini 3vat si	COREITER on, operational controls, facilities or siz OPS) These items are to be correcte nk hot water valve not shu	uctures equipment design, general set by the next regular inspection atting water off, repair or n	or as stated.	Correct by [classe] 2/18/21 2/18/21	lyta	
3-501.11	Repeat: Main 3 compartment sink leaking onto floor, repair or replace						
8-501.11	Repeat: Cracked and busted	concrete floors below fryers, W	ater standing unable to drain	, repair or replace	NRI		
COS	Corrected Onsite Next Routine Inspection						
	Women's Restroom out of or	der					
		EDUCATION PROVID	DED OR COMMENTS				
Person in C	^{Charge /Title:} Hanna Moore	Hanar we	ve s	Date: 01/20/2	021		