

TH AND SENIOR SERVICES MISSOURI DEPARTMENT OF HE BUREAU OF ENVIRONMENTAL heALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 900			TIME OUT 1100		
PAGE	1	of	2		

NEXT ROUTH WITH ANY THE ESTABLIS McDona	NE INSPE ME LIMIT HMENT alds O	ection, or su s for corre NAME: f Malden	JCH SHORTER PER CTIONS SPECIFIED	OD OF TIME AS	MAY BE SPEC MAY RESUL	CIFIED	IN WRI	ITING BY 1	THE REG	ACILITIES WHICH M ULATORY AUTHORI OPERATIONS. PERSON IN C Tori Curti	TY. CHA S	FAIL	LURE	RECTE TO CO	D BY MPLY	THE
ADDRESS	1106	N Dougla	ass	DUONE.		LEAV						-	_	_		
		n, MO 63	8863	PHONE: 573-276-60	10	FAX	.;			P.H. PRIÓRIT	Υ÷			М	Ш	L
ESTABLISHME BAKER RESTA	S.A.	C. STOF	RE CATERER DL SENIOR C	ENTER SI	ELI UMMER F.P.		GRÓCE AVERI	ERY STOR		INSTITUTION TEMP.FOOD			лОВILI	E VEN	DORS	i
PURPOSE Pre-opi	ening	Routine	☐ Fallow-up	Complaint	Other											
FROZEN D	Di:	sapproved	SEWAGE DISPO	SAL PRIVAT		TER S COMN				OMMUNITY Sampled			PRIVA Resul			
License No.	003-1008	71		RISK FA	CTORS AND	INTÉ	RVEN	TIONS								
		preparation pra	ctices and employee	behaviors most o	ommonly repor	ted to th	ne Cent	ters for Dis	ease Con	trol and Prevention as	s cor	ntrib	uting fa	actors i	n	
Compliance	ness outo		ealth interventions a Demonstration of Kno	THE RESERVE OF THE PERSON OF T			ne iline mpliance		/. 	Potentially Hazardo	LS F	God	s		cos	R
	OUT	Person in ch	arge present, demons	trates knowledge	:.	100	OUT	N/O N/A	Proper o	cooking, time and tem	pera	ature	3			
			Employee Healt			-8		N/A		reheating procedures				,		
	OUT		t awareness; policy pr of reporting, restriction					N/O N/A		cooling time and temp not holding temperatu		ures	•			
■ OUT	N/O		Good Hygienic Prac tasting drinking or	tides			OU.			cold holding temperati date marking and disp						-
OUT			e from eyes, nose and			1		N/O N/A	Time as	a public health contro			dures	7		
	7.0 =	Pres	enting Contamination	by Hands		╫			records		500	V				
■ OUT	N/O	Hands clean	and properly washed			IN	OU	г া 🚟		ier advisory provided i oked food	for r	aw c	or			
■ OUT	N/O		d contact with ready-to			Ī				Highly Susceptible P	opu	asio	ns			
100	OUT	Adequate ha	ernate method proper indwashing facilities s				OUT	N/O N/A		zed foods used, proh	ibite	d for	ods no	t		
		accessible	Approved Source	4		1			offered	Chanica					Dept.	
	OUT		ed from approved souled at proper temperate	се			OUT		Food ad	ditives: approved and ibstances properly ide	pro				_	
IN OUT	■ N/A					11	۷	C T	used							_
IN OUT N	OUT		l condition, safe and u ords available: shells!		9	IN	001	F 1		formance with Approx nce with approved Sp						+
IN OUT N	1/O R	destruction	rotection from Co 1,30	i marinen		1114	001		and HA	CCP plan						
OUT	N/A		ted and protected	MINERAL				the left of	each iten	n indicates that item's	stat	tus a	at the ti	ime of	he	
IN det	N/A	Food-contact	t surfaces deaned &	sanitized		1		complianc		OUT = not in o			ce			
IN OUT	₫Þ.		sition of returned, pre I, and unsafe food	viously served,		N.	/A = no	t applicable	e	N/O = not obs	erve	:d				
			in a corregor es es		oodinera.											
IN OUT		etail P ، موند	ractices are preventat ife Food are Weter	ive measures to d	control the intro	duction IN	of path	ogens, che	emicals, a	nd physical objects in winer Use of Diensits	ito fo	ods	14 	········ c	os	R
×	Pau	a iggs us	ed where required			×		In-use ut	tensils; pr	operly stored			4.1.			
×	Wate		ipproved source			×		handled		nt and linens: properly						
×	Lini Aded		Framporature Contro for temperature confi			×			se/single- ised propi	service articles: prope	arly s	store	∍d, use	d	-	
x	Appro	oved thawing m	ethods used						Utensi	s, Equipment and Ve						
×	Therr	nometers provid	ded and accurate			×		designed	d constru	-contact surfaces dea cted, and used						
			ood Identification .			×		Warewas strips us		ities: installed, mainta	inec	d, us	ed; tes	st		
X	Foc	hèl6	d: original container				×	Nonfood	-contact s	urfaces clean						
×	i.e ants, and ammals not present			DECET:					r available; adequate	pres	ssure					
×	Con evented during food pre			aration, storage		× Plumbing installed; ;			; proper backflow dev	rices	\$					
×	Perso		: clean outer clothing,	hair restraint,		×		Sewage	and wast	ewater properly dispo	sed					
×	Wipin	g cloths: proper	rly used and stored			×				perly constructed, su						
×			s washed before use			X				operly disposed; facil nstalled, maintained,				a		
Person in C	Charge /	^{Fitle:} Tori C	urtis //	A. oti						Date: 04/16/24					(
Inspector	20	10110	2019	Tele	phone No.		1	EPHS No). F	ollow-up:		Y	'es		No.	0
I/IO 580-1014	My	the U	Par	573-	-888-9008	′	1	CANARY - FIL	F	ollow-up Date:						E6.37
IND 580-1014	/			DISTRIBUTION: WHIT	t - OWNER'S COP	r		CANARY - FIL	LE COPY							LU.3/



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HF TH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 90	00	TIME OUT 110		
PAGE 2	of	2		

ESTABLISHMEN McDonal	T NAME ds of Malden	1106 N Douglass	Malden, MO	63863		
FOOD PRODUCT/LOCATION		TEMP. in ° F	FOOD PRODUCT/ LOCATION	ON TEMP. in °		
Chicken /Hot Hold		143	143 Walk in Freezer			
	Eggs/Hot Hold	144	Stand up Bev Air	38		
	Deli Coaler	37	Ice Cream	35		
	HashBrowm/Hot Hold	137	Expresso	36		
	Walk in Cooler	33	Sausage/Hot Hold	157		
Code Reference	Prody tejns construte directly to its	PRIORITY I Selemensorii, projection ceresticalist Priorite de la companya e	rems 1 o an acceptable levs. It azarda associalen with loodba hours or as stated:	Correct by III	* Bid#	
7-102.11	Unlabeled pump sprayer is	storage room, hand and	pump sprayers must be labeled	lcos /	C	
4-601.11A	Ice Cream machine front p	anel and around dispens	ing nozzles soiled, wash rinse and san	itize COS /	(1	
	Core tems elate to general senifar of standard operating procedures (\$50 No thermometer in walk in Floors heavily soiled behim	Ps). Thase items are to be correct freezer	mictures equipment design, general meintenance or sa ted by the next regular inspection or as stated.		atlat .	
CIP NRI	Correction in Progress Next Routine Inspection	EDUCATION PROV	DED OR COMMENTS:			
Bornon in Ct	parmo /Title:	1	Date:	440100002021		
reison in Ch	harge /Title: Tori Curtis	Yeu with		1/16/ 2020²⁰²¹		
Inspector:/	20,000	Telephone No. 573-888-900			No	