

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 830	TIME OUT 900
PAGE 1 of	2

NEXT	ROUTINE	INSPE	CTION OR SU	Y, THE ITEMS NOT ICH SHORTER PER CTIONS SPECIFIEI	RIOD OF TIME AS IN THIS NOTICE	MAY BE SPE	ECIFIED I	N WRI	TING BY T	THE REGULA	ATORY AUTHORITY PERATIONS.	r. FAILURE I	CTED B	Y THE -Y
SE	ABLISHI NATH	NENT N SCH	IAME: IOOL CA	AFETERIA	OWNER: SENATH	-HORNI	ERSV	ILLE	PUB	LIC SCI	PERSON IN CH Amanda D)ogoli		
ADD	RESS: 8	01 S	STATE	STREET							COUNTY: 069)		
			гн, мо е		PHONE: 573-738-266	61	FAX:				P.H. PRIORITY	′: ■ H []м[] L
	BLISHMEN BAKERY RESTAU		C. STOR		R D	ELI JMMER F.P.		SROCE AVERN	RY STOR		NSTITUTION EMP.FOOD	MOBILE	VENDOR	RS
PURP	POSE Pre-open	ing	Routine	☐ Follow-up	□ Complaint	☐ Other								
□ A	ZEN DE pproved se No. N/	☐ Disa		SEWAGE DISP PUBLIC	OSAL PRIVATI		ATER SI COMM			NON-COM Date San	MMUNITY npled	☐ PRIVAT Results		
Licen	Se No. 14/		S. E. (5) E. F.	3 0 18 2	RISK FA	CTORS AN	ID INTE	RVEN	TIONS	Nation.	STELL STELL	5 mg 7 mg		88.
Risk	factors a	re food p	reparation pra	ctices and employee	behaviors most co	ommonly rep	orted to th	e Cent	ers for Dis	ease Control	and Prevention as	contributing fac	tors in	
5-	liance	ss outbre	3-6	Demonstration of Kn	owledge	cos	R Co	npliance)	F	otentially Hazardou		CC	S R
		TUC	Person in cha	arge present, demoi	nstrates knowledge	,		DUT I	N/O N/A		king, time and temp			
				Employee Hea			IN IN		N/A N/A		neating procedures foling time and tempe			
		OUT OUT		t awareness; policy of reporting, restriction				TUC	N/O N/A	Proper hot	holding temperature	S		
	OUT	N/O	Proper eating	Good Hygienic Pragatasting, drinking o				OUT TUC	N/O N/A		d holding temperature e marking and dispo			-
	OUT	N/O		from eyes, nose ar				OUT I		Time as a	public health control	(procedures /		
-		14/0	Prev	venting Contamination	on by Hands	68	+		- XIII-V	records)	Consumer Advis			
	OUT	N/O	Hands clean	and properly washe	d		IN	OUT	n N	Consumer	advisory provided for ed food	or raw or		
	OUT	N/O		d contact with ready						Hi	ighly Susceptible Po	pulations		
IN		SET.	Adequate ha	ndwashing facilities				OUT I	N/O N/A		d foods used, prohib	ited foods not		
			accessible	Approved Sour	ce	Di I	+-			offered	Chemical	Maria Sala		
	С	UT		ed from approved so	urce			OUT			ives: approved and particles		nd	-
IN (DUT 🎏	N/A		ed at proper tempera				J.	OUT	used			14	
	0	UT	Food in good	l condition, safe and ords available: shell	unadulterated		-				mance with Approve e with approved Spe		ss	
IN C	OUT N/C		destruction			,	_	OUT	Γ N/A	and HACC				
_	OUT	51/4		rotection from Conta ted and protected	mination			letter to	the left o	f each item ir	ndicates that item's s	status at the tim	e of the	
	OUT	N/A N/A		t surfaces cleaned &	sanitized	-		ection.	compliano	•	OUT = not in co	moliance		
100		7544E0		sition of returned, pr		_			t applicabl		N/O = not obser			
IN	OUT	N		d, and unsafe food		OOD RETA	I DDACT	ICES		-				100
	2000		Good Retail P	ractices are prevent					ogens, ch	emicals, and	physical objects into	o foods.		_
IN	OUT		Sa	afe Food and Water		COS R	R IN	OUT		Proj tensils: prope	per Use of Utensils	-11-23	cos	R
×		Water	and ice from a	ed where required approved source			×		Utensils	, equipment a	and linens: properly	stored, dried,		
┢	_			I Temperature Contr	rol .	-	×		handled Single-u		rvice articles: proper	lv stored, used	-	+
×			ate equipment	for temperature cor			×			used properly	/	7.		
×	-		ved thawing m	ethods used ded and accurate				×	Food an		Equipment and Ven- ontact surfaces clear			
	×	mem					\perp		designe	d. constructe				+
				Food Identification	E HOUSE		×		strips us	ed		, 4304, 1651		
×		Food		d; original container on of Food Contami		-	+	X	Nonfood	I-contact surf	faces clean hysical Facilities	1,000		
×			s, rodents, and	l animals not presen	t		×			cold water a	vailable; adequate p			
	×	and di	splay	ented during food pre				×			roper backflow devi			
×		Person	nal cleanliness nails and jewel	: clean outer clothin	g, hair restraint,		×				ater properly dispos			
×		Wiping	cloths: proper	rly used and stored			×	V			erly constructed, sup erly disposed; facilit			-
X	-			s washed before use				X		l facilities inst	talled, maintained, a	nd clean		
Pers	son in Ch	arge /T	itle: Aman	da Dogoli () June 1	The	1. 1.			Dat	te: 01/2 <mark>7/2</mark> 0	23		
Insp	ector:	11	11	// /	Tele	phone No	m		EPHS N	o. Fol	low-up:		V	No
	io-1814 (9-13)	no	In D	IN	DISTRIBUTION: WHIT	-888-900 E - OWNER'S CO			CANARY - FI		low-up Date:			E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 830 TIME OUT 900
PAGE 2 of 2

ESTABLISHMEN SENATH	SCHOOL CAFETERIA	801 S STATE ST		SENATH, MO 638			
FO	OD PRODUCT/LOCATION	TEMP. in ° F	LOCATION	TEMP. i	n°F		
	Warmer	145					
		190	37				
		151 Avantico					
Left Milk Cooler		33	Walk in C		34		
	Right Milk Cooler	39	her	168			
Code Reference	Priority items contribute directly to the eli or injury. These items MUST RECEIVE	PRIORITY I' imination, prevention or reductior IMMEDIATE ACTION within 72	to an acceptable level, hazards	associated with foodborne illness	Correct by (date)	Initial	
4-204.112	Core items relate to general sanitation, o standard operating procedures (SSOPs) Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missing the standard sta	. These items are to be correctaliong seams in walk in the far right dairy cooler	tructures, equipment design, gen ted by the next regular inspect freezer	eral maintenance or sanitation ion or as stated.	Correct by (date) NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi	perational controls, facilities or s . These items are to be correctalong seams in walk in far right dairy cooler ng on outside dumpste	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace	ion or as stated.	NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15	standard operating procedures (SSOPs) Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink in Repeat: No lid on dumpster r	perational controls, facilities or s These items are to be correctalong seams in walk in the far right dairy cooler and on outside dumpste the kitchen sagging allownext to nroth facing door are to protected.	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 5-501.15 6-501.11	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink ir Repeat: No lid on dumpster r Missing ceiling tile above 3 d	perational controls, facilities or s These items are to be correct along seams in walk in the far right dairy cooler ag on outside dumpste the kitchen sagging allow the sext to nroth facing door cooler	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 6-501.11 6-501.11	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missis Repeat: Handwashing sink in Repeat: No lid on dumpster r Missing ceiling tile above 3 d Missing drain line in walk in ce	perational controls, facilities or s These items are to be correct along seams in walk in the far right dairy cooler and on outside dumpste the kitchen sagging allow the ext to nroth facing door cooler cooler	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial A A A A A A A A A A A A A A A A A A A	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 6-501.11 6-501.11 6-501.11	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink in Repeat: No lid on dumpster n Missing ceiling tile above 3 d Missing drain line in walk in o Ceiling sagging with water ar	perational controls, facilities or s. These items are to be correctalong seams in walk in far right dairy coolering on outside dumpste in kitchen sagging allownext to nroth facing document cooler coolering dice build up in walk in the control of the coolering dice build up in walk in the control of the coolering dice build up in walk in the control of the coolering dice build up in walk in the coolering dice of th	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace n freezer	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 6-501.11 6-501.11 6-501.11	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missis Repeat: Handwashing sink in Repeat: No lid on dumpster r Missing ceiling tile above 3 d Missing drain line in walk in ce	perational controls, facilities or s. These items are to be correctalong seams in walk in far right dairy coolering on outside dumpste in kitchen sagging allownext to nroth facing document cooler coolering dice build up in walk in the control of the coolering dice build up in walk in the control of the coolering dice build up in walk in the control of the coolering dice build up in walk in the coolering dice of th	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace n freezer	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial A V	
Reference 4-601.11C	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink in Repeat: No lid on dumpster n Missing ceiling tile above 3 d Missing drain line in walk in o Ceiling sagging with water ar	perational controls, facilities or s. These items are to be correctalong seams in walk in far right dairy coolering on outside dumpste in kitchen sagging allownext to nroth facing doctooler cooler cooler in dice build up in walk in the cooler cooler in the cooler cooler in the cooler cooler cooler in the cooler cooler in the cooler cooler cooler in the cooler cooler cooler in the cooler coo	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace n freezer	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 6-501.11 6-501.11 6-501.11	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink in Repeat: No lid on dumpster r Missing ceiling tile above 3 d Missing drain line in walk in c Ceiling sagging with water ar Walk in freezer trims seals br	perational controls, facilities or s. These items are to be correctalong seams in walk in far right dairy coolering on outside dumpste in kitchen sagging allownext to nroth facing doctooler coolering dice build up in walk it roken, repair or replace in has paint chipping, re	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace n freezer	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 6-501.11 6-501.11 6-501.11 4-101.19	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink ir Repeat: No lid on dumpster r Missing ceiling tile above 3 d Missing drain line in walk in c Ceiling sagging with water ar Walk in freezer trims seals br	perational controls, facilities or s. These items are to be correctalong seams in walk in far right dairy coolering on outside dumpste in kitchen sagging allownext to nroth facing doctooler coolering dice build up in walk it roken, repair or replace in has paint chipping, re	tructures, equipment design, gen ted by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace n freezer	r or replace	NRI NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial	
Reference 4-601.11C 4-204.112 5-501.15 6-501.11 6-501.11 6-501.11 6-501.11 4-101.19	Floors warped and cracked a Thermometer not working in Repeat: Lids broken or missi Repeat: Handwashing sink in Repeat: No lid on dumpster r Missing ceiling tile above 3 d Missing drain line in walk in c Ceiling sagging with water ar Walk in freezer trims seals br	perational controls, facilities or s. These items are to be correctalong seams in walk in far right dairy coolering on outside dumpste in kitchen sagging allownext to nroth facing doctooler coolering dice build up in walk it roken, repair or replace in has paint chipping, re	tructures, equipment design, gented by the next regular inspect freezer r, repair or replace ing seal to break, repair or, repair or replace r, repair or replace seal DED OR COMMENTS	ion or as stated.	NRI NRI NRI NRI NRI NRI NRI NRI NRI NRI	Initial A V	