

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 800			TIME OUT 930
PAGE	1	of	2

											CILITIES WHICH MUST BE CORRECT LATORY AUTHORITY. FAILURE TO C OPERATIONS.	ED BY OMPLY	THE
EST.	ABLISHI	MENT N	FOR CORREC	CTIONS SPECIFIED	IN THIS NOTICE MA OWNER: Muath Qua	AT KESOL	I IN CESS	SATIO	N UF YOU	K FUUD	PERSON IN CHARGE: Neal Quattom		
			By Pass		madii daa						COUNTY: 069		
CITY	//ZIP: K	ennet	t, MO 63	857	PHONE: 573-888-1998		FAX:				P.H. PRIORITY : H	м	L
ESTA	BLISHMEN	IT TYPE			DELI				RY STORE		INSTITUTION MOBILE VE	NDORS	6
	RESTAU		C. STOR	SENIOR C	ENTER SUM	MER F.P.	П ТА	VERN	<u> </u>		TEMP.FOOD		
	Pre-oper		Routine	☐ Follow-up		Other	ATER SU	DDI V	,				
FRO	ZEN DE	SSERT Dis	approved	PUBLIC	PRIVATE	1	COMM				DMMUNITY PRIVATE Results		
Licen	se No				RISK FACT	ORS AN	DINTER	VENT	TIONS				
Risk	factors a	are food p	preparation pra	ctices and employee	hehaviors most com	monly repo	rted to the	Cent	ers for Disc	ease Cont	rol and Prevention as contributing factor	s in	
food	borne illne	ess outbre	eaks. Public he	ealth interventions Demonstration of Kno	are control measures	to prevent	1000000111	e illnes	33 Or Injury		Potentially Hazardous Foods	COS	R
	oliance	OUT	Person in cha	arge present, demon			IN O	UT I	N/A	Proper c	ooking, time and temperature		
-			and performs	duties Employee Heal					N/A	Proper r	eheating procedures for hot holding		
		OUT	Management	awareness; policy p	resent		-		N/O N/A		ooling time and temperatures ot holding temperatures	-	
		OUT		f reporting, restriction Good Hygienic Pra	ctices			OUT	Γ N/A	Proper c	old holding temperatures		-
	OUT	N/O	Proper eating	g, tasting, drinking or from eyes, nose an	tobacco use				N/O N/A	Proper d	ate marking and disposition a public health control (procedures /		
	OUT	N/O		Ex - 1. (0.29 to the control of the			IN C	UI	N/O N	records)	Consumer Advisory		
-	OUT	N/O		enting Contamination and properly washed				OU	Γ N/A		er advisory provided for raw or oked food		
	OUT	N/O	No bare han	d contact with ready-	to-eat foods or					<u> </u>	Highly Susceptible Populations		
	-	OUT	Adequate ha	emate method prope ndwashing facilities	supplied &			UT	N/O N/A	Pasteuri: offered	zed foods used, prohibited foods not		
			accessible	Approved Sour	се						Chemical		
		OUT		ed from approved so	urce			OU.		Food ad Toxic su	ditives: approved and properly used bstances properly identified, stored and	+	-
IN	OUT N	N/A		ed at proper tempera				l	OUT	used	formance with Approved Procedures	-	-
		TUC	Food in good Required red	d condition, safe and cords available: shell	unadulterated stock tags, parasite		IN	OU.	T N	Complia	nce with approved Specialized Process		
IN	OUT N/	0 1	destruction	rotection from Conta	mination		_						
-	OUT	N/A		ted and protected				etter t		f each iten	n indicates that item's status at the time	of the	
	OUT	N/A	Food-contac	t surfaces cleaned &	sanitized			N = in	compliand		OUT = not in compliance N/O = not observed		
IN	OUT	N	Proper dispo	sition of returned, pr d, and unsafe food	eviously served,		N/	A = no	ot applicabl	е	N/O = not observed		
					GO	OD RETA	IL PRACT	ICES			d. b. vi - Labiceta into fondo		
	Lour				ative measures to cor	cos F	roduction R IN	of pati	hogens, ch	emicais, a	and physical objects into foods. Proper Use of Utensils	cos	R
IN X	OUT	Paste		afe Food and Water sed where required			×		In-use u	itensils: pr	operly stored nt and linens: properly stored, dried,		+
×		Wate	r and ice from	approved source			×		handled				
-				d Temperature Contr			×			use/single- used prop	service articles: properly stored, used		-
X		Adeq	uate equipment oved thawing m	t for temperature con	ntrol		×		DOMESTIC .	Utensi	ls. Equipment and Vending		
×		Then	mometers prov	ided and accurate			×		designe	nd nonfood	d-contact surfaces cleanable, properly lotted, and used		
F				Food Identification			×		Warewa strips us	ashing faci	lities: installed, maintained, used; test		
×		Food	properly labele	ed; original container			×				surfaces clean Physical Facilities		-
×			Prevention of Food Contamination				×		Hot and	cold water	er available; adequate pressure		1
^		Cont	cts, rodents, and animals not present amination prevented during food preparation, storage					×	Plumbir	ng installed	d; proper backflow devices		
-	-	Pers	display onal cleanliness: clean outer clothing, hair restraint,				×		Sewage	rage and wastewater properly disposed			
×		finge	ernails and jewelry sing cloths: properly used and stored				×		Toilet fa	let facilities: properly constructed, supplied, cleaned			1
×				es washed before us	e		×		Garbag	arbage/refuse properly disposed; facilities maintained nysical facilities installed, maintained, and clean			
Pe	rson in C	harge /	Title: Nage	Quattom	Na				1 Hydroc		Date: 07/31/2019		
		21	iveal	Auallom		one No		1	EPHS N	-+	Follow-up:		Vo
	pector:	hud	MI			88-900			1647	F	Follow-up Date:		
MO	580-1814 (9-1	6)			DISTRIBUTION: WHITE -	OWNER'S CO	JUY		CANARY - F	ILE COPY			E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 800	TIME OUT 930
PAGE 2	_f 2

auisii VV	NAME harf	601 S By Pass	K	ennett, MO 63857	THE RESIDENCE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN C	
FOOD PRODUCT/LOCATION		TEMP. in ° F	FOOD PRODUCT/ LC	OCATION	TEMP. in	\°F
					Correct by	Initial
Code Reference	Priority items contribute directly to tr or injury. These Items MUST RECE	PRIORITY I' ne elimination, prevention or reduction EIVE IMMEDIATE ACTION within 72	to an acceptable level, hazards asso hours or as stated.	ociated with foodborne illness	(date)	Titles
Code		CORE ITE	ims	maintenance or senitation	Correct by	Initial
Reference	standard operating procedures (SS	ion, operational controls, facilities or s OPs). These items are to be correc	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial
Reference 202.11A	Unshielded bulb over food w	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.		Initial
Reference 202.11A	standard operating procedures (SS	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial
Reference 202.11A	Unshielded bulb over food w	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial
Reference 202.11A	Unshielded bulb over food w	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial NA
Reference 202.11A	Unshielded bulb over food w	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial A
Reference 202.11A	Unshielded bulb over food w	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial
Reference 202.11A	Standard operating procedures (SS) Unshielded bulb over food w No hot and cold water running	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial
202.11A 203.13	Unshielded bulb over food w	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial A
Per	Standard operating procedures (SS) Unshielded bulb over food w No hot and cold water running	ion, operational controls, facilities or s OPs). These items are to be correct vindow	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial
Per	Standard operating procedures (SS) Unshielded bulb over food w No hot and cold water running Corrected in progress	ion, operational controls, facilities or s OPs). These items are to be correct vindow ng to service sink	tructures, equipment design, general ted by the next regular inspection	maintenance or sanitation or as stated.	(date)	Initial
202.11A 203.13	Standard operating procedures (SS) Unshielded bulb over food w No hot and cold water running Corrected in progress	ion, operational controls, facilities or s OPs). These items are to be correct vindow ng to service sink	tructures equipment design general	maintenance or sanitation or as stated.	(date)	Initial A
202.11A 203.13	Standard operating procedures (SS) Unshielded bulb over food w No hot and cold water running Corrected in progress	ion, operational controls, facilities or s OPs). These items are to be correct vindow Ing to service sink EDUCATION PROV	tructures, equipment design, general ted by the next regular inspection	maintenance or sanitation or as stated. Date: 07/31/20	CIP CIP	Initial