

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 845			TIME OUT 1000		
PAGE	1	of	2		

NEXT ROUTINE INS	PECTION THIS DAY, THE ITEMS SPECTION, OR SUCH SHORTER MITS FOR CORRECTIONS SPEC	R PERIOD OF TIME AS	MAY BE S	SPECIF	FIED I	NWR	ITING BY	THE REGULA	TORY AUTHORIT			
ESTABLISHMENT NAME: OWNER: Linda Kemp									PERSON IN CHARGE: Steve Fitzpatrick			
ADDRESS: 1104 N Douglass									COUNTY: Dunklin			
CITY/ZIP: Malden, MO 63863 PHONE: 573-276-51:				FAX:					P.H. PRIORITY: H M L			
BAKERY RESTAURAN PURPOSE		ERER DO	ELI JMMER F.	P.		ROCI	ERY STOR	RE IN	STITUTION MP.FOOD	MOBILE	VENDO	RS
☐ Pre-opening	Routine Follow-		Othe									
FROZEN DESSE Approved License No.				WATE C					MUNITY oled	PRIVAT Results		
License No.		RISK FA	CTORS A	AND II	NTER	RVEN	TIONS					
Risk factors are for	od preparation practices and emp tbreaks. Public health intervent	loyee behaviors most co	mmonly re	eported	d to th	e Cen	ters for Dis	ease Control a	and Prevention as	contributing fac	tors in	
Compliance	Demonstration of		COS	R	Natification (common	npliance	NAME OF TAXABLE PARTY.	Name and Address of the Owner, where the	tentially Hazardou	ıs Foods	C	OS R
OUT	Person in charge present, de and performs duties	emonstrates knowledge.			IN C	DUT	NID N/A	Proper cook	ng, time and temp	perature		
	Employee			-	-	-	N/A		ating procedures f			
OUT	Management awareness; po Proper use of reporting, rest		-	-	-		N N/A	The state of the s				-
CUT N	Good Hygieni	Practices		\Box		OU.	T N/A	N/A Proper cold holding temperatures				
OUT N/	No disabarga from ayes no		+	+			N/O N/A Proper date marking and disposition Time as a public health control (procedures /					
	Preventing Contami	nation by Hands	-	++				records)	Consumer Advis	sorv		
OUT N/O	Handa along and propagation	Hands clean and properly washed				OUT	Concurred advisory provided for row of					
OUT N/	No bare hand contact with re approved alternate method p		\Box					nly Susceptible Po	pulations			
■ OUT				\prod	OUT N/O N/A Pasteurized offered				foods used, prohib	oited foods not		
	Approved								Chemical			
OUT NO N	Eggd received at meaning town	Food obtained from approved source Food received at proper temperature			OUT N/A Food additives: approved and properly used IN Compared Toxic substances properly identified, stored				d			
OUT		and unadulterated	-	++	IIA		Camp	used			0000	
IN OUT N/O N	Peguired records available: shellstock togs, perceits				IN	OUT	Conformance with Approved Procedures Compliance with approved Specialized Process and HACCP plan				+	
	Protection from C				-							
OUT N/A		Food separated and protected			The letter to the left of each item indicates that item's status at the time of the inspection.				of the			
IN COT N	Dropper disposition of patricipal annulation and			H	IN = in compliance OUT = not in compliance N/A = not applicable N/O = not observed							
IN OUT I	reconditioned, and unsafe for		OOD RETA	All DD	ACTI	CEE						
	Good Retail Practices are prev	The control of the co	College Company College	otherman more	eterological State	strates and extension to	ogens, che	micals, and pl	nysical objects into	o foods.		
IN OUT	Safe Food and Wa	iter				OUT	EASTERNY	Prope	Use of Utensils		cos	R
	steurized eggs used where require ter and ice from approved source	eu .		\dashv	×			ensils: properl equipment an	y stored d linens: properly :	stored, dried,	-	+
Food Temperature Control					×		handled	handled Single-use/single-service articles: properly stored, used			-	-
X Adequate equipment for temperature control					×			sed properly				
X Approved thawing methods used Thermometers provided and accurate				+		-	Food and		uipment and Venc act surfaces clean		-	-
Food Identification				-	×		designed	, constructed,	and used		-	-
					×		strips use					
X Foo	Food properly labeled; original container Prevention of Food Contamination			+	×		Nonfood-	Nonfood-contact surfaces clean Physical Facilities				-
X Insects, rodents, and animals not present					×		Hot and cold water available; adequate pressure					
Contamination prevented during food preparation, storage and display						×			er backflow devic			
Personal cleanliness: clean outer clothing, hair restraint, fingernails and jewelry					×		Sewage and wastewater properly disposed					
Wiping cloths: properly used and stored Fruits and vegetables washed before use					×		Toilet facilities: properly constructed, supplied, cleaned Garbage/refuse properly disposed; facilities maintained					
					x		Physical facilities installed, maintained, and clean					
Person in Charge	Title: Steve Fitzpatric	k 10.	1	1	#	7		Date:	09/20/19			
Inspector:	1.1001	Telepi	none No. 188-900	The	لمكتو		EPHS No.	Follov	v-up:	Yes		No
MO 580-181-19-13)		DISTRIBUTION: WHITE			Party III LONG		CANARY - FILE		v-up Date:			E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 845	TIME OUT 1000	
PAGE 2	, 2	

ESTABLISHME Alps	ENT NAME	ADDRESS 1104 N Douglass	CITY/ZIP Malden, MO 63863				
F	OOD PRODUCT/LOCATION	TEMP. in ° F	LOCATION	TEMP. in ° F			

Code Reference	Priority items contribute directly to the or injury. These items MUST RECEI	PRIORITY ITEMS e elimination, prevention or reduction to an a VE IMMEDIATE ACTION within 72 hours	acceptable level, hazards a	ssociated with foodborne illness	Correct by (date)	Initial	
4-501.12	Cutting boards heavily scarred in	meat room, repair or replace			CIP	55	
7-201.11	Detergents mounted and able to	be dispersed into vegetable prep sink			CIP	3F	
~ant-/ar->							
						<u> </u>	
Code Reference	Core items relate to general sanitation standard operating procedures (SSOF	CORE ITEMS a, operational controls, facilities or structures Ps). These items are to be corrected by the	, equipment design, gener ne next regular inspectio	al maintenance or sanitation n or as stated.	Correct by (date)	Initial	
6-501.11 6-501.11	Missing several ceiling tiles in r				CIP	JF JF	
6-501.11	Several ceiling tiles damaged due to water, repair or replace Holes in concreate on South wall next to restrooms CIP						
5-203.13	No mop water on premise				CIP	SF	
CIP	Correction In Progress						
		EDUCATION PROVIDED OF	COMMENTS	7			
	Discussed with management the	EDUCATION PROVIDED OR at if there is any modifications to 3vats or prep sin		direct plumbing will be installed			
Person in Ch	arge /Title: Steve Fitzpatric	k & . 11	1	Date: 09/20/19			
Inspector:	Whole Oll	Telephone No. 573-888-9008	EPHS No. 1647	Follow-up: Follow-up Date:	Yes [] No	