

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1100			TIME OUT 1230
PAGE	1	of	2

NEXT ROUTINE	INSPE	CTION, OR SU	Y, THE ITEMS NOTE ICH SHORTER PERI CTIONS SPECIFIED	OD OF TIME AS MA	AY BE SPEC	IFIED I	N WRIT	ING BY T	HE RE	GULATORY AUTHOR	MUST BE CORRECT FAILURE TO	COMPL	Y 1HE .Y
WITH ANY TIME LIMITS FOR CORRECTIONS SPECIFIED IN THIS NOTICE MAY RESU ESTABLISHMENT NAME: Chucks Place Charles McCarte									PERSON IN	PERSON IN CHARGE:			
ADDRESS: 1106 E. North Douglass								COUNTY: C	COUNTY: 069				
CITY/ZIP: Malden, MO 63863 PHONE: 573-281-2601				FAX:			P.H. PRIOR	P.H. PRIORITY: H M L					
ESTABLISHMENT BAKERY RESTAUF		C. STOR		DEL	I IMER F.P.		GROCEF AVERN	RY STOR		☐ INSTITUTION ☐ TEMP.FOOD	☐ MOBILE VI	ENDOR	rs
PURPOSE Pre-openia	ng	Routine	☐ Follow-up	☐ Complaint ☐	Other								
FROZEN DES			SEWAGE DISPO	SAL PRIVATE			UPPLY IUNITY			COMMUNITY Sampled	PRIVATE Results		
License No. NA				DIRV FAC	TADO ANT	iikite	DAVENIT	Inns:					 :
Risk factors ar	e food p	reparation pra	ctices and employee	behaviors most com	monly repor	ted to th	ne Cente	rs for Dise					
foodborne ilfnes Compliance	s outbre	eaks. Public he	ealth interventions a Demonstration of King	are control measures	to prevent t	foedbor	ne illnes: mpliance	s or injury			dous Foods		S R
	TUC		arge present, demons			IN (DUT N	n/A	Prope	r cooking, time and te	emperature		
	LIT		Elviptoyee Heat				N TUC			r reheating procedur		-	
	UT	Proper use o	t awareness; policy pr f reporting, restriction	and exclusion		IN OUT NO N/A Proper cooling time and temperatures N/A Proper hot holding lemperatures							
OUT	N/O		Good Hyglenic Prac , tasting, drinking or				OUT N/A Proper cold holding temperatures OUT N/O N/A Proper date marking and disposition			isposition			
U OUT	N/O		from eyes, nose and			IN 0	IN OUT N/O N Time as a public health of records				ntrol (procedures /		
■ OUT	N/O		entini (Contamination and properly washed							mer advisory provide	Consumer Advisory r advisory provided for raw or		
OUT	N/O		d contact with ready-t			undercook			unden	cooked food Highly Suscept Se	Populations		
	UT	Adequate ha	ernate method proper ndwashing facilities s			OUT N/O N/A Pasteurized foods used, prohibited foods not							
		accessible	Approved Salk			E				Chenk	*		
OUT Food obtained from approved source IN OUT N/A Food received at proper temperature				OUT N/A Food additives: approved and properly used Toxic substances properly identified, stored and used									
OUT Food in good condition, safe and unadulterated Required records available, shellstock tags, parasite				Compliance with approved Procedures									
IN OUT N/O	嚼	destruction	rotect on from Contac			IN	OUT) in the second		ACCP plan		- 1	
■ OUT	N/A	*************************	ted and protected	177.1801			letter to	the left of	each it	em indicates that iten	n's status at the time	of the	
OUT N/A Food-contact surfaces cleaned & sanitized				IN = in compliance OUT = not in compliance N/A = not applicable N/O = not observed									
IN OUT			sition of returned, pre d, and unsafe food					арричани		(No. of			
		Good Retail P	ractices are prevental		OD RETAIL trol the intro		of patho	gens, che	micals.	and physical objects	into foods.		
IN OUT		Si	ite Food also "Valer		COS R	IN X	OUT			Proper Use of Users properly stored	is	COS	R
×			ed where required pproved source			1 x		Utensils,		nent and linens: prope	erly stored, dried,		
		Foot	Temperature Contro			×				e-service articles: pro	perly stored, used		
X		ate equipment ved thawing m	for temperature cont	rol		X		Gloves u		perly sels Equipment sixt	Apadina:		
^ ×			ded and accurate			×		Food and	d nonfo	od-contact surfaces o			
Food Sanification :				×	- 1	Warewas	ed, constructed, and used vashing facilities: installed, maintained, used; test						
X Food gropedy laneled: original container				×		Nonfood	DS used Infood-contact surfaces clean If it is realized the surfaces clean						
Prevention of Foot Contensation Insects rodents and animals not present				×		Hot and	cold wa	ter available; adequa	te pressure				
×	Conta and di	SUBJECT COLUMN	nted during food prep	paration, storage		×				ed; proper backflow d			
Personal cleanliness: clean outer clothing, hair restraint, fingernails and jewelry				×			Sewage and wastewater properly disposed						
Wiping doths: properly used and stored Fruits and vegetables washed before use			X			ilet facilities: properly constructed, supplied, deaned rbage/refuse properly disposed; facilities maintained							
Person in Charge /Title:					Ìх				s installed, maintaine	d, and clean			
Herson in Cha	arge / I	ille. Tub	asomul	2						Date: 08/11/2		_	
Inspect	uli	611		573-8	one No. 88-9008		1	PHS No 6 47		Follow-up: Follow-up Date:	Yes		No .
MO 58 (13) (4-13)	4			DISTRIBUTION: WHITE-	OWNER'S COP	Υ	C	ANARY - FIL	E COPY				E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1100	TIME OUT 1230				
PAGE 2	2				

ESTABLISHMEN Chucks F	T NAME Place	1106 E. North Dou	glass	Malden, MO 6386	3	
FOOD PRODUCT/LOCATION		TEMP. in ° F	T/ LOCATION	. in ° F		
			Dr Peppe	Cooler	3	37
					-	
	Frigidaire Cooler	36				
	Pepsi Cooler	36				
Code Reference		BBI/SBITY IT	EMS	o Barangkan ngan kadanana ilaik	Corrector S Conte	/ #15al
3403010100	or profitnese nems MUS; REG	ë aiz mator, prevenio 1 di reducilor IVE IMMERI ATE ACTION WIRNIO 72.	hours or as stated.			
						-
						-
Code Reference	fina jama miara minengal santa :	GOREITEI	VIS Luciu es equioment deston de	recel maintenance or sanifation	Coversiba (caris)	r i h at el
		nn. per d'onal controls, facilités à sist (Ps). These demis are lo be correct		alon or as stated.	CIP	AL
1-204.112	Missing thermometer in Fi	rigidaire and Dr Pepper Co	oler		CIF	71
					-	
					-	
		EDUCATION PROVID	DED OR COMMENTS			
				Doto		
Person in Ch	narge /Title: Obbs	-el		Date: 08/11/2		
Inspector	01.191	Telephone No. 573-888-900	EPHS No. 8 1647	Follow-up: [Follow-up Date:] Yes	✓ No
1 1	12/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	DISTOIRUTION WHITE OWNER'S COP				E6,37A