



MA 580-581-131

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES  
BUREAU OF ENVIRONMENTAL HEALTH SERVICES  
**FOOD ESTABLISHMENT INSPECTION REPORT**

TIME IN 1 030 PAGE 2 TIME OUT

ESTABLISHMENT NAME KENTUCKY FRIED CHICKEN	ADDRESS 415 INDEPENDENCE AVE	CITY/ZIP KENNETT, MO	of 2
--	---------------------------------	-------------------------	------

FOOD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/ LOCATION	TEMP. in ° F
Walk in Cooler	38	Walk in Freezer	-3
Chicken/warmer	185	Rear Walk in Cooler	33
Mashed Potatoes	178	Chicken/ hot hold	148
Coleslaw/Prep Line	38	Gravy/Hot hold	
		Prep Cooler	

PRIORITY ITEMS		153
Code	Priority items contribute directly to the elimination, prevention or reduction to an acceptable level, hazards associated with food or its use.	
Reference	or any. These items MUST RECEIVE IMMEDIATE ACTION within 72 hours or as stated.	34

[illegible]

Code Reference	CORE ITEMS
	Core items relate to general sanitation, operational controls, facilities/structures, equipment design, general maintenance or sanitation standard operating procedures (SSOPs). <b>These items are to be corrected by the next regular inspection or as stated.</b>

Item	Description	Date	By	Initials
6-501.12A	Repeat: Floors in breakroom soiled with food and debris, wash rinse and sanitize	9/22/22	JH	
4-601.11C	Repeat: Cabinet under main soda fountain soiled with food and debris	9/22/22	JH	
4-101.19	Countertop with built in handsink has lost its protective coating exposing raw wood, repair or replace	9/22/22	JH	
4-204.112	Repeat: Thermometers not working in walk in freezer and cooler, replace	9/22/22	JH	
6-201.11	Floors soiled under equipment of main prep area	9/22/22	JH	
6-501.11	Missing vent filter above deep dryers, repair or replace	9/22/22	JH	
4-501.11	3 vat sink not sealed to west wall causing moisture issues	9/22/22	JH	
6-501.11	Missing tiles above and next to 3 vat sink exposing raw wood with black residue	9/22/22	JH	
6-201.11	Floors soiled below 3 vat sink	9/22/22	JH	
		9/22/22	JH	
		9/22/22	JH	

COS	Corrected onsite
CIP	Correction in progress
NRI	Next Routine Inspection

EDUCATION PROVIDED OR COMMENTS

Person in Charge /Title: Jenna Holliman

Inspector: [Signature] Telephone No. 573-888-9008

EPHS No.  
1647  
CANARY - FILE COPY

Date: 08/24/2022  
Follow-up: ☒  
Follow-up Date: 9/22/22 Yes

MO 680-1-14 (Rev. 3)

DISTRIBUTION, WHITE - OWNER'S COPY

CANARY - FILE COPY

☐ No

E6.37A