

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1300 TIME OUT 1500

PAGE 1 of 2

NEXT RO	UTINE Y TIME	INSPEC	TION, OR SU FOR CORRE	Y, THE ITEMS NOT ICH SHORTER PER CTIONS SPECIFIEI	NOD OF TIME A	S MAY BE	SPEC	IFIED I	N WRI	TING BY T	HE REGI	ACILITIES WHICH M JLATORY AUTHORIT OPERATIONS.	ry. Fall	LURE IC	CTED B	Y THE LY
Gardenias Restaurant ADDRESS: 100 South Ash Street						PERSON IN CHARGE: Julio Aldana				·E.						
ADDRE	^{ESS:} 1	00 S	outh Ash	Street								COUNTY: 06	9			
CITY/ZIP: Campbell, MO 63933 PHONE: 573-217-2148						FAX: P.H. PRIORITY: H M L] L					
RE RE	KERY STAU		C. STOR			DELI SUMMER	F.P.		GROCE	RY STOR		INSTITUTION TEMP.FOOD	ı 🗆	MOBILE '	VENDOF	RS
PURPOS		ng	Routine	☐ Follow-up	☐ Complaint	☐ Oth	ner									
FROZE	oved	☐ Disa	approved	SEWAGE DISP PUBLIC	OSAL PRIVA	TE			UPPLY			OMMUNITY Sampled	_	PRIVATI Results		
						ACTORS							130			Tigo
Risk fac	tors ar	e food p	reparation pra	ctices and employee	behaviors most	commonly	report	ted to the	ne Cent	ers for Dis	ease Con	trol and Prevention as	contrib	uting fac	tors in	
Complian		s outbre		Demonstration of Kn		COS			mpliance			Potentially Hazardo	us Food	ls	CC	S R
w	100		Person in charge present, demonstrates knowledge,						OUT	N/O N/A	Proper	cooking, time and tem	perature)		
			and performs duties Employee Health				-	IN (TUC	N/A	Proper	reheating procedures	for hot	holding		
		UT	Management awareness; policy present Proper use of reporting, restriction and exclusion							N/A			ling time and temperatures			
	0	UT	Proper use o	f reporting, restriction Good Hygienic Pra		100		OUT N/O N			Proper cold holding temperatures					
	OUT	N/O		, tasting, drinking o	tobacco use			1		N/O N/A		date marking and disp a public health contro		durae /		-
	TUC	N/O	No discharge	from eyes, nose ar	a mouth			IN (OUT I	N/O 1	records)		,uuica /		
_				enting Contamination and properly washe			-	1	0.15		Consun	Consumer Adv ner advisory provided		or		-
	OUT	N/O				_	_	IN	OU			oked food Highly Susceptible P				_
	OUT	N/O		d contact with ready emate method prope									3			
IN	d	■ T	Adequate ha accessible	ndwashing facilities	supplied &				OUT	N/O N/A	Pasteur offered	ized foods used, prohi	ibited fo	ods not		
			accessible	Approved Sour	ce							Chemical	516		16	
OUT Food obtained from a							Toxic cub				itives: approved and properly used stances properly identified, stored and			-		
IN OUT	-	N/A						-		OUT	used					_
		UT		l condition, safe and ords available: shell		ite	-	1				formance with Approvence with approved Sp			s	
IN OUT	r N/O	ram.	destruction					IN	OUT			CCP plan				
				rotection from Conta ted and protected	imination		-	┨ The	letter to	the left of	f each iter	n indicates that item's	status a	at the tim	e of the	
	Total contest surfaces planted 9 a			sanitized I			inspection. IN = in compliance OUT = not in compliance									
		10-22		sition of returned, pr				l N		t applicabl		N/O = not obs		00		
IN	OUT			d, and unsafe food										-		
	_		Good Patail P	ractices are prevent	ative measures to	GOOD R				ogens, ch	emicals, a	and physical objects in	to foods	3.		
IN	OUT			afe Food and Water	ativo modouros t	cos	R	IN	OUT		P	Proper Use of Utensils			cos	R
X				ed where required approved source				×				operly stored int and linens: properly	v stored	. dried.	-	
×		vvaler	and ice iroin a	ipproved source				handled						_		
		A 4		Temperature Contr			-	×				service articles: prope	erly store	ed, used		
X			ate equipment ved thawing m	for temperature cor ethods used	III OI	Ol				Gloves used properly Utensils, Equipment and Vending						
	×			ded and accurate				×				d-contact surfaces clea cted, and used	anable,	properly		
			F	ood Identification				×		Warewa	shing faci	lities: installed, mainta	ained, us	sed; test		
	X Food properly labeled; original container						×		strips us	used od-contact surfaces clean						
			Prevention	on of Food Contamir	nation						Physical Facilities					
×				l animals not presen		_	-	Dlumbing installed:			er available; adequate		e	-	+	
×		and di	splay			paration, storage		×		Plumbing installed; proper backflow devices				-	-	
×			nal cleanliness nails and jewel	: clean outer clothing	g, hair restraint,			×		Sewage	and wast	ewater properly dispo	sed			
Wiping cloths: properly used and stored										oilet facilities: properly constructed, supplied, cleaned				-		
X				s washed before use				V/×/		Garbage/refuse properly disposed; facilities maintained Physical facilities installed, maintained, and clean						
Person	in Ch	arge /T	^{itle:} Julio A	Aldana		1	Le	Mary Control	1			Date: 04/24/20				
Information of the second	1	1	Juilo	Tidally /	To	lephone I	No.	0	L T	EPHS N				'es	Ø	No
rispect	41	6/1	h //	KI	57	3-888-9	8008			1647		Follow-up Date:				
WC 580-18	14 (9-13)	/		-	DISTRIBUTION: WI	HITE - OWNER	R'S COP	Y		CANARY - FI	LE COPY					E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1300	TIME OUT 1500
DAGE 2	2

ESTABLISHMEN Gardenia	TNAME IS Restaurant	100 South Ash	Street	Campbell, MO 639	ampbell, MO 63933				
FO	OD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/	OOD PRODUCT/ LOCATION					
	Prep Cooler	36							
	Lettuce/Prep Cooler	37	Chicken/Wa	rmer	139				
	Rice/Warmer	148	Walk in co	oler	38				
	Cooked Beef/Warmer	168	Sliced tomatoes/l	Sliced tomatoes/Prep cooler					
	Beans/Warmer	139							
Code Reference		e elimination prevention or redu	TY ITEMS Iction to an acceptable level, hazards a	associated with foodborne illness	Correct by (date)	Initial			
4-601 11A		cos >	JA						
4-703.11		Can opener soiled with food and debris, wash, rinse and sanitize No sanitizer detected in waitress bucket							
)									
Code		CORE	EITEMS		Correct by	Initial			
Reference	Core items relate to general sanitation standard operating procedures (SSO	eral maintenance or sanitation on or as stated.	(date)	LA					
	Missing thermometer in sa				NRI	JA			
			oe placed in sanitizer when	not in use	cos	JA			
	Missing outside siding abo				NRI	JA			
5-205.11A	Waitress handsink is inacc	cessible due to shelving	g being in the way		NRI	JA			
cos	Corrected onsite								
CIP	Correction in progress								
		EDUCATION PR	OVIDED OR COMMENTS						
			1 /at						
	narge /Title: Julio Aldana	21	Jun !	Date: 04/24/2		a Na			
Inspector:	floghoff	Telep 573-888-9	9008 1647	Follow-up Date:	Yes [☑ No E6.37A			