

## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1400 TIME OUT 1500

PAGE 1 of 2

NEXT ROUTINE WITH ANY TIME	INSPEC	TION, OR SU- FOR CORREC	Y, THE ITEMS NOTE CH SHORTER PERI CTIONS SPECIFIED	OD OF TIME AS	S MAY BE	SPECI	IFIED I	N WRI	TING BY I	HE REGULA	ILITIES WHICH MUST BE CORRECT ATORY AUTHORITY. FAILURE TO ( PERATIONS.  PERSON IN CHARGE:	TED BY	THE Y
Scooter's				Pivotal C	Cup Ci	rossi	road	ls Ll	LC		Chlove Traylor		
ADDRESS: 1			t								COUNTY: Dunklin		
CITY/ZIP: Ke	ennet	t, 63857		PHONE:			FAX:				P.H. PRIORITY : H	м	L
ESTABLISHMENT BAKERY RESTAU	T TYPE	C. STOR	E CATERER L SENIOR C		DELI SUMMER	F.P.		SROCE AVER	ERY STORI		NSTITUTION MOBILE VI	ENDOR	S
PURPOSE Pre-openi		Routine	☐ Follow-up	☐ Complaint	☐ Oth	ner							
FROZEN DE Approved			SEWAGE DISPO	SAL PRIVAT	re		ER SI			NON-COM Date San	MMUNITY PRIVATE Results		_
		- HEATER	IN THE DIST		ACTORS					vi eli i			
Risk factors a	re food p	reparation prac	ctices and employee ealth interventions	behaviors most o	commonly	reporte	ed to th	e Cen	ters for Disc	ease Contro	l and Prevention as contributing facto	rs in	
Compliance	SS OUTDIE	C	emonstration of Kno	wledge	CO	S R	Cor	mplianc	е	F	Potentially Hazardous Foods	COS	R
	DUT	Person in cha and performs	arge present, demons duties	trates knowledg	e,		IN C	TUC	N/O া	Proper coo	king, time and temperature		
			Employee Healt						N/O N		neating procedures for hot holding		-
	DUT		awareness; policy per freporting, restriction			+	_		N/O N		ling time and temperatures holding temperatures		
			Good Hygienic Prac	tices				OU	T N/A		d holding temperatures e marking and disposition		
IN OUT	NED I		, tasting, drinking or from eyes, nose and		_	-			N/O N	Time as a	public health control (procedures /		$\neg \neg$
IN OUT		Drov	enting Contamination	hy Hande		-	" '	301	14/0 1	records)	Consumer Advisory		
OUT	N/O		and properly washed				IN	ου	т 🖷	undercook	advisory provided for raw or ed food		
IN OUT	NEED		contact with ready-femate method proper							Hi	ighly Susceptible Populations		
	DUT	Adequate har	ndwashing facilities s	upplied &				DUT	N/O N/A	Pasteurize offered	d foods used, prohibited foods not		
		accessible	Approved Source	e						ollered	Chemical		
	UT		d from approved sou	rce			li III	ΟU	T N/A		ives: approved and properly used tances properly identified, stored and		
IN OUT	N/A	Food receive	d at proper temperat	ıre			1		OUT	used			
<b>I</b> 0	UT		condition, safe and		4-		-				mance with Approved Procedures e with approved Specialized Process		-
IN OUT N/C		destruction	ords available: shells		ile		IN	OU	T 1	and HACC			$\perp$
			rotection from Contar ed and protected	nination		-	The	letter f	to the left of	each item i	ndicates that item's status at the time	of the	
IN OUT	NIIIA.		surfaces cleaned &	sanitized	_			ection.					
IN OUT	N/A	Proper dispos	sition of returned, pre				N		n complianc ot applicable		OUT = not in compliance N/O = not observed		
		1 2 2	l, and unsafe food		GOOD R								
		Good Retail Pr	actices are preventa	tive measures to		e introd	duction	of pat	hogens, ch	emicals, and	physical objects into foods.	cos	R
IN OUT	Bosto		fe Food and Water ed where required		cos	R	IN X	OUT	In-use u	tensils: prop	per Use of Utensils erly stored	003	
×			pproved source				×		Utensils,	equipment	and linens: properly stored, dried,		
	1000	Food	Temperature Contro			1	×		handled Single-u	se/single-se	rvice articles: properly stored, used		
×		ate equipment	for temperature cont				×			ised properly	у		-
×		ved thawing mo	ethods used led and accurate		_		V		Food an		Equipment and Vending ontact surfaces cleanable, properly		
×	mem	·				_	×		designe	d, constructe	ed, and used es: installed, maintained, used; test		-
		ł	food Identification				×		strips us	ed			_
X	Food		d; original container on of Food Contamin	ation			×		Nonfood	-contact sur P	faces clean Physical Facilities		
X	Insect	s, rodents, and	animals not present				×			cold water a	available; adequate pressure		
×	Conta and di	mination preve	nted during food pre	paration, storage			×				proper backflow devices		
×	Person	nal cleanliness	: clean outer clothing	, hair restraint,			×		Sewage	and wastew	vater properly disposed		
	Wiping	nails and jewel	ry rly used and stored				×		Toilet fa	cilities: prope	erly constructed, supplied, cleaned		
×			s washed before use				×	V	Garbage	refuse prop	perly disposed; facilities maintained		-
Person in Ch	arge /T	itle: Chlove	e Traylor		PUG	14	0/	X Physical facilities installed, maintained, and cle			te: 11/30/2023		
Inspector	100	160	e Traylor	Tel 57:	ephone 3-888-9	No. 9008	04	0	EPHS No 1647	o. Fo	llow-up:	<b>□</b> 1	No
MO 580-1814 (9-13	1	110	· W	DISTRIBUTION: WH			(		CANARY - FI		All and a second a		E6.37



## MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1400	TIME OUT 1500
DACE of	2

	NT NAME S Coffee	1774 1st Street		CITY/ZIP Kennett, 63857		
FO	OOD PRODUCT/LOCATION	TEMP. in ° F	FOOD PRODUCT/	LOCATION	TEMP. i	n°F
	Atosa from left to right				34	
	· · · · · · · · · · · · · · · · · · ·	38			39	
		34			2	
		33			4	
		36				To be taked
Code Reference	Priority items contribute directly to the or injury. These Items MUST RECE	PRIORITY I' e elimination, prevention or reductior IVE IMMEDIATE ACTION within 72	FEMS  to an acceptable level, hazards a hours or as stated.	associated with foodborne illness	Correct by (date)	Initial
Code		CORE ITE	TAI C			
Reference	standard operating procedures (SSC	OPs). These items are to be correct	tructures, equipment design, gene	eral maintenance or sanitation on or as stated.	Correct by (date)	Initial
	Core items relate to general sanitation standard operating procedures (SSC Multiple wet ceiling tiles, r	OPs). These items are to be correct	tructures, equipment design, gene	eral maintenance or sanitation on or as stated.	NRI	Initial
Reference 6-501.11	standard operating procedures (SSC	OPs). These items are to be correct	tructures, equipment design, gene	eral maintenance or sanitation on or as stated.	(date)	Initial
5-501.11	standard operating procedures (SSC Multiple wet ceiling tiles, r	epair or replace	tructures, equipment design, gene	eral maintenance or sanitation on or as stated.	(date)	Initial
5-501.11	standard operating procedures (SSC Multiple wet ceiling tiles, r	epair or replace	tructures, equipment design, geneted by the next regular inspecti	eral maintenance or sanitation on or as stated.	(date)	Initial
i-501.11	Multiple wet ceiling tiles, r	epair or replace  EDUCATION PROVI	tructures, equipment design, geneted by the next regular inspecti	on or as stated.	(date) NRI	Initial
-501.11	standard operating procedures (SSC Multiple wet ceiling tiles, r	epair or replace  EDUCATION PROVI	DED OR COMMENTS	Date: 11/30/2	NRI  023	Initial CO