

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1000			TIME OUT 1045		
PAGE	1	of	2		

NEYT D	OUTINE	INSPEC	CTION OR SU	ICH SHORTER PER	IOD OF TIME A	S MAY	/ BE SPE	ECIFIED I	N WRI	TING BY T	HE KE	FACILITIES WHICH MI GULATORY AUTHORIT DD OPERATIONS.	UST BE CORRECTY. FAILURE TO	COMPL	Y THE .Y
WITH ANY TIME LIMITS FOR CORRECTIONS SPECIFIED IN THIS NOTICE ESTABLISHMENT NAME: PIZZA HUT OWNER: Greg Fly									Michael C	Michael Center					
ADDRESS: P.O.BOX 217 BUSINESS HWY 25									COUNTY: 06	9					
CITY/ZIP: MALDEN, MO 63863 PHONE: 573-276-510			101		FAX:				P.H. PRIORIT	Y: H	м] L			
	LISHMEN BAKERY RESTAU		C. STOR		ENTER :	DELI SUMM	IER F.P.		ROCE	ERY STORE		☐ INSTITUTION ☐ TEMP.FOOD	☐ MOBILE V	ENDOR	s
PURPO	SE re-openi	ng	Routine	Follow-up	☐ Complaint		Other								
☐ App		☐ Disa	approved	SEWAGE DISPO	OSAL PRIVA	TE	W	ATER SU COMM				COMMUNITY Sampled	□ PRIVATE Results		
	No. NA							ID INTER					HILEAR		F 4111
Risk fa	actors a	e food p	reparation pra	ctices and employee ealth interventions	behaviors most	comm	only rep	orted to th	e Cen	ters for Dise	ease Co	ontrol and Prevention as	contributing factor	rs in	
Complia		ss outbre		Demonstration of Kno	owledge		cos	R Cor	npliance	e Industry		Potentially Hazardo		CC	S R
	C	DUT	Person in cha	arge present, demon	strates knowled	ge,			DUT	N/O N/A	Prope	r cooking, time and tem	perature		
				Employee Heal					IN OUT NO N/A Proper reheating procedures for hot holding						
		UT	Management	t awareness; policy p f reporting, restriction	resent n and exclusion	-				N/A Proper cooling time and temperatures N/O N/A Proper hot holding temperatures					
				Good Hygienic Pra	ctices				OU.			r cold holding temperature date marking and disp		-	
-	OUT	N/O		g, tasting, drinking or from eyes, nose an		_				N/O N/A	Time	as a public health contro	ol (procedures /		
h-1	OUT	N/O	Drov	venting Contaminatio	n by Hande		-		-	14/0 1	record	ds) Consumer Advi	SOLA		
	OUT	N/O	Preventing Contamination by Hands Hands clean and properly washed					IN	OU	Consumer advisory provided for raw or undercooked food			for raw or		
	OUT	N/O		d contact with ready-						Highly Susceptible Populations					
approved alternate method properly followed Adequate handwashing facilities supplied & accessible						DUT	N/O N/A Pasteurized foods used, prohibited foods not offered Chemical								
-	0	UT	Food obtains	Approved Sourced from approved sou					OUT N/A Food additives: approved and properly used						
IN O	11-2		Food obtained from approved source Food received at proper temperature							OUT Toxic substances properly identified, stored an used					
	0	UT	Food in good	d condition, safe and cords available: shells	unadulterated	ito		-			Conformance with Approved Procedures Compliance with approved Specialized Process				-
IN O	JT N/C	N/A	destruction			site.		IN	OU	T		ACCP plan			
				rotection from Conta	mination		_	The	letter t	o the left of	each it	tem indicates that item's	status at the time	of the	
	OUT	To describe and a service and a service and					inspection.								
-	OUT		Prepar disposition of soturned previously served			-		IN = in compliance OUT = not in compliance N/A = not applicable N/O = not observed							
IN	OUT	NED.		d, and unsafe food					1050					_	
			Good Petail P	motices are prevents	ative measures to			IL PRACT		hogens, che	emicals	, and physical objects in	to foods.	_	
IN	OUT		Sa	afe Food and Water	TO THOUGHT OF T	С	OS F	R IN	OUT			Proper Use of Utensils		cos	R
×	_	Pasteurized eggs used where required Water and ice from approved source			+	_	×		In-use utensils: properly stored Utensils, equipment and linens: properly stored, dried,				+		
×		Water						×		handled	handled				-
×		Adequ	Food Temperature Control					×			Single-use/single-service articles: properly stored, used Gloves used properly				
X		Appro	pproved thawing methods used			-				Food and	Uter	nsils, Equipment and Ver and-contact surfaces clea	nding anable properly	-	+
×		Thermometers provided and accurate						×	designed	l, const	ructed, and used				
			Food Identification			51		×		strips us	/arewashing facilities: installed, maintained, used; test				
×		Food properly labeled; original container					×		Nonfood	Nonfood-contact surfaces clean Physical Facilities					
×		Prevention of Food Contamination Insects, rodents, and animals not present					×			Hot and cold water available; adequate pressure					
Contamination prevented during food preparation, storage and display			Ð		×				ed; proper backflow dev						
Personal cleanliness: clean outer clothing, hair restraint, fingemails and jewelry			_		×							-			
X	Wiping cloths: properly used and stored Fruits and vegetables washed before use					×		Toilet facilities: properly constructed, supplied, cleaned Garbage/refuse properly disposed; facilities maintained							
									×	Physical	facilitie	es installed, maintained,	and clean		
Perso	on in Ch	arge /T	^{itle:} Micha	el Center								Date: 12/10/202			
/nspe	cto	1	he 1)	BR			ne No. 88-90			EPHS No 1647		Follow-up Date:	Yes		No E6.37
1404000	10 1 T In Acres	11			DISTRIBUTION: W	HITE - C	WNER'S C	OPY		CANARY - FIL	LE COPY				E0.3/

DISTRIBUTION: WHITE - OWNER'S COPY



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 1000	TIME OUT 1045
DAGE 2 of	2

ESTABLISHMEN	IT NAME UT	ADDRESS P.O.BOX 217 BU	SINESS HWY 25	MALDEN, MO 638	63		
	OD PRODUCT/LOCATION		TEMP. in ° F FOOD PRODUCT/ LOCATION				
	Pizza Prep Cooler		Ham/Prep Cooler				
			Sausage/Pre	ep Cooler			
	Walk in Cooler						
	Walk in Freezer						
					Othu	I lastini	
Code Reference	Priority items contribute directly to the or injury. These items MUST RECE	PRIORITY e elimination, prevention or reducti IVE IMMEDIATE ACTION within 7	on to an acceptable level, hazards	s associated with foodborne illness	Correct by (date)	Initial	
Code Reference 4-501.11	Core items relate to general sanitatic standard operating procedures (SSC) The hinge of top right lid of	CORE IT on, operational controls, facilities or OPs). These items are to be corre of prep cooler is broken, I	structures, equipment design, ge acted by the next regular inspec	neral maintenance or sanitation ation or as stated.	Correct by (date)	Initial	
6-501.11	Wall next to womens rest	room has water damage,	, repair or replace		NRI		
		EDUCATION PROV	VIDED OR COMMENTS				
	•						
Person in Cl	· harge /Title: Michael Cente	ar.		Date: 12/10/20	24		